


REDUCTOR DE PRESIUNE PENTRU BUTELII DE ACETILENA PRESSURE REDUCER FOR ACETYLENE CYLINDERS RPB - A / *



CARACTERISTICI TEHNICE TECHNICAL CHARACTERISTICS

- Racord fixare la robinet :cu jug.
- Racord iesire cu niplu pentru furtun Ø10.
- Temperatura de lucru : -20 °C...+60 °C.
- Material :alama.
- Dimensiuni de gabarit[mm]:300x150x147.

- Valve connection : with collar plate.
- Niple outlet connection for hose Ø 10.
- Working temperature :-20 C...+60 C.
- Material : brass.
- Overall dimensions[mm] : 300x150x147.

Clasa reductor Reducer class *	Presiune nominala intrare (max.) [bar] Nominal pressure inlet	Presiune nominala iesire (max.) [bar] Nominal pressure outlet	Debit Flow [m ³ /h]
1	25	0,8	1
2		1,5	5

TRUSE DE SUDARE SI TAIERE OXIGAZ;REDUCTOARE DE PRESIUNE PENTRU BUTELII DE GAZE;ROBINETI PENTRU BUTELII DE GAZE;
 APARATE DE TAIERE OXIGAZ;GENERATOARE SI MINIGENERATOARE ACETILENA; ROBINETI CU SFERA; ECHIPAMENT MEDICAL;
 ECHIPAMENT PENTRU INSTALATII SI REELE DE GAZE; CONFECTII METALICE; PIESE TURNATE DIN NEFEROASE; SERVICE.

OXY-GAS CUTTING AND WELDING KITS; PRESSURE REDUCERS FOR GAS CYLIDERS; ACETYLENE GENERATORS AND MINIGENERATORS ;
 ALL VALVES ;MEDICAL EQUIPMENT; DEVICES FOR DIVING EQUIPMENT; EQUIPMENT FOR GAS INSTALLATION AND NETWORKS; METAL
 CONSTRUCTION ;NON - FERROUS METAL CASTINGS;; SERVICE.